



Neighbourhoods Regeneration and
Sustainability
Planning and Building Standards
Exchange House
231 George Street
Glasgow
G1 1RX

MEMORANDUM

Our Ref: JA
Application Ref: PEL00950
Date: 16th April 2025

CASE 12 (TABLED)

From: K. Donoghue
Team Manager, Licensing, Planning & Building Standards.

To: G. McNaught
Legal Manager (Licensing), Corporate Services.

Subject: Consultation: Civic Government (Scotland) Act 1982,
Application for the Renewal of a Public Entertainment Licence

Applicant: Laura Howie

Address: Heatwave, 85 Lochend Road, Glasgow

Ward: 21

Recommendation:

The Committee may grant the licence.

Conditions:

1. The premises should have a current emergency lighting test certificate BS 5266.
2. The premises should have a current electrical installation test certificate BS 7671 or a current Periodic Inspection report for the electrical installation BS 7671
3. The premises should have a current Fire Risk Assessment

Background Information:

An existing premises located on the north side of Lochend Road between Baldragon Road and Auchingill Road

The premises is currently operating as a Sun Bed Parlour and hairdressers with 4 Tanning booths

The capacity of the premises 10 persons.

Yours faithfully,

Team manager
Building Control & Public Safety

If phoning or visiting please ask for Mr Jim Adams
Direct phone 0141 287 4471, email james.adams@glasgow.gov.uk