



Neighbourhoods Regeneration and
Sustainability
Planning and Building Standards
Exchange House
231 George Street
Glasgow
G1 1RX

MEMORANDUM

Our Ref: JA

Application Ref: SEV005

Date: 10th December 2025

CASE 7

From: K. Donoghue
Team Leader, Licensing, Planning & Building Standards.

To: G. McNaught
Legal Manager (Licensing), Corporate Services.

Subject: Consultation: Civic Government (Scotland) Act 1982,
Application for the Grant of a Sexual Entertainment Licence

Applicant: Brightcrew (Management) Ltd

Address: Platinum Lace, 24 Drury Street, Glasgow

Ward: 10

Recommendation:

The Committee may grant the licence.

Conditions:

1. The premises should have a current emergency lighting test certificate BS 5266.
2. The premises should have a current electrical installation test certificate BS 7671 or a current Periodic Inspection report for the electrical installation BS 7671.
3. The premises should have a current Fire Risk Assessment.
4. The premises should have a working fire detection and alarm warning system to BS 5839 Part 1.

Background Information:

The premises comprise a first floor and second floor with a capacity of 283 persons

Yours faithfully,

Ken Donoghue

Team manager

Building Control & Public Safety

If phoning or visiting please ask for Mr Jim Adams

Direct phone 0141 287 4471, email james.adams@glasgow.gov.uk