



Neighbourhoods Regeneration and  
Sustainability  
Planning and Building Standards  
Exchange House  
231 George Street  
Glasgow  
G1 1RX

## MEMORANDUM

Our Ref: JA

Application Ref: PEL01399

Date: 17<sup>th</sup> April 2026

CASE 1

**From:** K. Donoghue  
Team Manager, Licensing, Planning & Building Standards.

**To:** G. McNaught  
Legal Manager (Licensing), Corporate Services.

**Subject:** Consultation: Civic Government (Scotland) Act 1982,  
Application for the Grant of a Public Entertainment Licence

**Applicant:** Platinum Glow Ltd

**Address:** Platinmum Glow, 21 Dougrie Drive, Glasgow

**Ward:** 1

### Recommendation:

The Committee may grant the licence.

### Conditions:

1. A Building warrant and Completion certificate are required for the alterations to the premises.
2. The premises should have a current emergency lighting test certificate BS 5266.
3. The premises should have a current electrical installation test certificate BS 7671 or a current Periodic Inspection report for the electrical installation BS 7671
4. The premises should have a current Fire Risk Assessment.
5. The premises should have a working fire detection and alarm warning system to BS 5839 Part 1.

### Background Information:

A retail unit has been fitted out to form a Tanning Salon and Barbours located on the west side of Dougrie Drive close at the junction with Kelso Castlemilk Drive.

The premises consists of 4 sunbed rooms with a capacity of 15 persons

Yours faithfully,

Team manager  
Building Control & Public Safety

**If phoning or visiting please ask for Mr Jim Adams**  
**Direct phone 0141 287 4471, email [james.adams@glasgow.gov.uk](mailto:james.adams@glasgow.gov.uk)**