

Conditions

1. A minimum of two (2) suitable bins with lids for storage of refuse produced by the tenants of the house shall be provided at a suitable location with suitable means of access thereto.
2. The number of residents to be accommodated within the licensed premises shall not exceed six (6) persons.
3. At least once in every five years all electrical systems within the premises shall be examined by a competent person and a certificate provided indicating that all such systems are functioning properly and are safe.
4. At least once in every year all portable appliances within the premises provided for the use of the tenants shall be examined by a competent person and certificates provided indicating that all such appliances are functioning properly and are safe. If the application is for the grant of an existing licence then copies of the portable appliance test certificates for the previous two years also require to be submitted.
5. At least once a year all gas appliances provided for the use of the tenants must be examined by a competent person (i.e. GAS SAFE REGISTERED ENGINEER) and a certificate provided (i.e. LANDLORDS GAS SAFETY CHECK) indicating that they are functioning properly and are safe. Gas certificates must be retained for three years and must be submitted when applying for the renewal of a licence.

Background Information

Description of Property: The property is a main door flat.

Number of Bedrooms: Six (6)

History of Multiple Occupation: The property has been known to be an HMO since 11 October 1999.

History of Complaints: None

Occupied: No – currently unoccupied.

Standard of Management: At time of inspection there was an outstanding item for completion brought to the attention of the owner under “Items for Completion”. This matter is relevant in considering the standard of management. Assuming this is effectively addressed the standard of management may be said to be satisfactory.

Other Information – None